

# Safety Data Sheet

## ULTRAPLAN

---

Safety Data Sheet dated 10/1/2003, version 3

---

### 1. DESIGNATION OF PRODUCT AND COMPANY

Trade name: ULTRAPLAN

Product type and use: Cement based levelling mortar.

Supplier:

MAPEI S.p.A. -Via Cafiero 22 - Milan -ITALY

Emergency telephone number of the company and/or of an authorised advisory centre:

MAPEI S.p.A. - Tel. +(39)02376731

Poison Centre - Ospedale di Niguarda - Milan - Tel. 02/66101029

---

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components within the meaning of EEC directive 67/548 and corresponding classification:

3% - 4.99% cemento Portland

CAS: 65997-15-1 EINECS: 266-043-4

Xi Irritant

R36/37/38 Irritating to eyes, respiratory system and skin.

Cr(VI) < 2 ppm

---

### 3. HAZARDS IDENTIFICATION

This preparation contains cement. Contact between cement and body fluids (e.g. sweat and eye fluids) may cause irritation or burns.

---

### 4. FIRST-AID MEASURES

Contact with skin:

Wash with plenty of water and soap.

Contact with eyes:

Wash immediately and thoroughly with running water, keeping eyelids raised, for at least 10 minutes. Following this, protect the eyes with sterile gauze or a clean, dry, handkerchief.

OBTAIN A MEDICAL EXAMINATION.

Swallowing:

Wash the mouth thoroughly and drink plenty of water. In case of disease consult a physician immediately and present this safety-data sheet.

Inhalation:

Ventilate the premises. The patient is to be removed immediately from the premises contaminated and made to rest in a well ventilated area. Should the patient feel unwell, consult a physician.

---

### 5. FIRE FIGHTING MEASURES

The product does not present a fire hazard

Extinguishers not to be used:

None in particular.

---

### 6. MEASURES IN CASE OF ACCIDENTAL RELEASE

Measures for personal safety:

None in particular

Environmental measures:

None in particular.

Cleaning methods:

Scoop into containers and seal for disposal.

After the product has been recovered, rinse the area and materials involved with water.

---

### 7. HANDLING AND STORAGE

# Safety Data Sheet

## ULTRAPLAN

### Handling precautions:

Avoid contact with skin and eyes and exposure to high dust concentration.

### Incompatible materials:

Keep away from water or from damp surroundings.

### Storage conditions:

Always keep the containers tightly closed.

### Instructions as regards storage premises:

Adequately ventilated premises.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values(TLV-TWA): (powder)10 mg/m<sup>3</sup>

### Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

### Respiratory protection:

Not needed for normal use.

A dust mask should be worn if above exposure limits.

### Protection for hands:

Not needed for normal use.

### Eye protection:

Not needed for normal use.

### Protection for skin:

No special precaution must be adopted for normal use.

### Exposure limit value of single components:

None

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	powder
Colour:	grey
Odour:	slight, typical of cement
pH(water dispersion, 10%):	11
Boiling point:	== °C
Flash point:	== °C
Autoignition temperature:	== °C
Explosion limits(by volume):	==
Relative density:	1.5 g/cm <sup>3</sup> (23°C)
Solubility in water:	partly soluble
Lipid solubility:	insoluble

---

## 10. STABILITY AND REACTIVITY

### Conditions to avoid:

Stable under normal conditions.

---

## 11. TOXICOLOGICAL INFORMATION

### Route(s) of entry:

Ingestion: Yes

Inhalation: Yes

Contact: No

### Toxicological information related to the product:

No toxicological data are available at the moment on the product itself.

The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the preparation.

### Corrosive/Irritating Properties:

# Safety Data Sheet

## ULTRAPLAN

Skin:  
The product can cause irritation by contact.

Eye:  
The product can cause irritation by contact

Sensitizing Properties:  
Frequent and prolonged skin contacts with cement paste may cause dermatitis.

Carcinogenic Effects:  
No effects are known.

Mutagenic Effects:  
No effects are known.

Teratogenic Effects:  
No effects are known.

Additional Information:  
Contains cement. Cement gives a strong alkaline reaction with water and body fluids (e.g. sweat and eye fluids), therefore the contact with skin and eyes should be carefully avoided.

---

### 12. ECOLOGICAL INFORMATION

Adopt sound working practices, so that the product is not released into the environment.

---

### 13. DISPOSAL CONSIDERATIONS

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Disposal of hardened product :	17 01 01
Disposal of not hardened product :	17 01 01

---

### 14. TRANSPORT INFORMATION

UN Number:	==
Rail/Road(RID/ADR):	no dangerous good
Sea (IMO/IMDG):	no dangerous good
MAR/POL 73/78,Annex III:	No
Air (ICAO/IATA):	no dangerous good

---

### 15. REGULATORY INFORMATION

Classification and Labelling according to EC Directive 99/45:

Special Provisions:

Safety data sheet available for professional user on request.

The preparation should not be considered as dangerous according to 88/379/EEC Directive

---

### 16. OTHER INFORMATION

Main bibliographic sources:

NIOSH - Registry of toxic effects of chemical substances (1983)

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

ACGIH - Threshold Limit Values (2000)

SAX'S - Dangerous properties of industrial materials - Tenth Edition

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.